

EROSION AND SEDIMENT CONTROL NOTES:

1. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE CONSTRUCTED AND MAINTAINED IN ACCORDANCE WITH THE CURRENT EDITION OF THE COUNTY OF SACRAMENTO IMPROVEMENT STANDARDS.
2. EROSION CONTROL BEST MANAGEMENT PRACTICES (BMPs) SHALL BE INSTALLED AND MAINTAINED DURING THE WET SEASON (OCTOBER 1 THROUGH APRIL 30). SEDIMENT CONTROL BMPs SHALL BE INSTALLED AND MAINTAINED YEAR-ROUND.
3. ALL DRAINAGE INLETS IMMEDIATELY DOWNSTREAM OF THE WORK AREAS AND WITHIN THE WORK AREAS SHALL BE PROTECTED YEAR-ROUND WITH INLET SEDIMENT CONTROL BARRIERS PER STANDARD DRAWING 11-7. INLET SEDIMENT CONTROL BARRIERS SHALL BE REMOVED FROM THE DRAINAGE INLETS UPON ACCEPTANCE OF THE PUBLIC IMPROVEMENTS BY THE CITY. NOTE: INLET FILTER BAGS ARE NOT ALLOWED IN THE CITY.
4. ALL STABILIZED CONSTRUCTION ACCESS LOCATIONS SHALL BE CONSTRUCTED PER STANDARD DRAWING 11-1 WHERE CONSTRUCTION TRAFFIC ENTERS OR LEAVES PLAYED AREAS. THE STABILIZED ACCESS SHALL BE MAINTAINED ON A YEAR-ROUND BASIS UNTIL THE COMPLETION OF CONSTRUCTION.
5. ALL AREAS DISTURBED DURING CONSTRUCTION BY GRADING, TRENCHING, OR OTHER ACTIVITIES, SHALL BE PROTECTED FROM EROSION DURING THE WET SEASON (OCTOBER 1 THROUGH APRIL 30). HYDROSEED, IF UTILIZED, MUST BE PLACED BY SEPTEMBER 15. HYDROSEED PLACED DURING THE WET SEASON SHALL USE A SECONDARY EROSION PROTECTION METHOD. IF SLOPES TO BE HYDROSEEDED ARE STEEPER THAN 3:1 (H:V), HYDROSEEDING SHALL BE USED IN COMBINATION WITH A SECONDARY EROSION PROTECTION METHOD SUCH AS MATTING, MULCH, OR OTHER SOIL STABILIZER.
6. SENSITIVE AREAS AND AREAS WHERE EXISTING VEGETATION IS BEING PRESERVED SHALL BE PROTECTED WITH CONSTRUCTION FENCING. SEDIMENT CONTROL BMPs SHALL BE INSTALLED WHERE ACTIVE CONSTRUCTION AREAS DRAIN INTO SENSITIVE OR PRESERVED VEGETATION AREAS.
7. SEDIMENT CONTROL BMPs SHALL BE PLACED ALONG THE PROJECT PERIMETER WHERE DRAINAGE LEAVES THE PROJECT. SEDIMENT CONTROL BMPs SHALL BE MAINTAINED YEAR-ROUND UNTIL THE CONSTRUCTION IS COMPLETED OR THE DRAINAGE PATTERN HAS BEEN CHANGED AND NO LONGER LEAVES THE SITE.
8. EROSION AND SEDIMENT CONTROL MEASURES FOR THE PROJECT SHALL BE IN SUBSTANTIAL COMPLIANCE AT ALL TIMES WITH THE STORMWATER POLLUTION PREVENTION PLAN (SWPPP) PREPARED FOR THE PROJECT IN ACCORDANCE WITH THE STATE OF CALIFORNIA GENERAL CONSTRUCTION PERMIT. THIS PERMIT REQUIRES THAT THE SWPPP BE KEPT UP TO DATE TO REFLECT THE CHANGING SITE CONDITIONS AND THE SWPPP IS TO BE AVAILABLE ON SITE AT ALL TIMES FOR REVIEW BY STATE AND LOCAL INSPECTORS.
9. EFFECTIVE EROSION CONTROL BMPs SHALL BE IN PLACE PRIOR TO ANY STORM EVENTS.
10. CONTRACTOR SHALL INSTALL AN EFFECTIVE COMBINATION OF EROSION AND SEDIMENTATION CONTROL BMPs.
11. ENSURE PORTABLE RESTROOMS AND WASH FACILITIES ARE STABILIZED AND ANCHORED BEHIND SIDEWALKS, AT LEAST 50 FEET AWAY FROM A DRAINAGE INLET.
12. ENSURE CONCRETE WASHOUTS ARE LOCATED AT LEAST 50 FEET AWAY FROM CONSTRUCTED DRAINAGE INLETS, DRAINAGE CHANNELS, AND SENSITIVE AREAS.

ENGINEERS STAMP

PRELIMINARY

DATE: _____

PROJECT NO.	IMPROVEMENT PLANS FOR JOB NAME HERE	CONSULTANT'S LOGO HERE	DATE: _____							
	EROSION AND SEDIMENT CONTROL NOTES AND DETAILS		SCALE: N/A							
SHEET X OF X	CITY OF RANCHO CORDOVA	CALIFORNIA	DRAWN BY: _____							
			DESIGNED BY: _____							
			CHECKED BY: _____	NO.	DATE	REVISION DESCRIPTION	ENGR	APPROVED BY	DATE	